

Nuclear Accident at the Fukushima Dai-ichi Nuclear Power Station

April 9, 2011

Ministry of Foreign Affairs of Japan

Contents

A. Japan Faces Unprecedented Challenge (Enormous Earthquakes, Tsunamis and Nuclear Accident)

1. Rescuing Efforts and Foreign Assistance
2. Fukushima Dai-ichi Nuclear Power Station

B. Key Challenges

1. Cool Down the Reactors
2. Contain Spread of Radioactive Substances (sea, soil and atmosphere)
3. Rigorous and Intensive Monitoring
4. Ensure the Safety of Food, Drinking Water and On-site Workers

C. Information Sharing and Cooperation with the International Community

1. Cooperation with the IAEA
2. Press Releases by International Organizations
3. Speedy Dissemination of Accurate Information


A. Japan Faces Unprecedented Challenge

(Enormous Earthquakes, Tsunamis and Nuclear Accident)

1. Rescuing Efforts and Foreign Assistance
2. Fukushima Dai-ichi Nuclear Power Station

A. Japan Faces an Unprecedented Challenge

(Enormous Earthquake, Tsunamis and Nuclear Accident)



Nuclear Reactors Near Epicenter of the Earthquake

4 Nuclear Power Stations with 14 Units



		automatic shut down	cold shut down
Onagawa			
Unit 1	524 MW, 1984-	✓	✓
Unit 2	825 MW, 1995-	✓	✓
Unit 3	825 MW, 2002-	✓	✓
Fukushima Dai-ichi			
Unit 1	460 MW, 1971-	✓	
Unit 2	784 MW, 1974-	✓	
Unit 3	784 MW, 1976-	✓	
Unit 4	784 MW, 1978-		
Unit 5	784 MW, 1978-	Periodical inspection	✓
Unit 6	1,100 MW, 1979-		✓
Fukushima Dai-ni			
Unit 1	1,100 MW, 1982-	✓	✓
Unit 2	1,100 MW, 1984-	✓	✓
Unit 3	1,100 MW, 1985-	✓	✓
Unit 4	1,100 MW, 1987-	✓	✓
Tokai Dai-ni			
Unit 1	1,100 MW, 1978-	✓	✓

1. Rescuing Efforts and Foreign Assistance

Japan deeply appreciates the assistance offered from

134 countries and regions and
39 international organizations

(Rescue teams were sent from 24 countries and region)




Ministry of Defense



US Navy/US Pacific Command
(Operation Tomodachi)

2. Fukushima Dai-ichi Nuclear Power Station

Before the Earthquakes and Tsunamis



TEPCO


After the Earthquakes and Tsunamis



Air Photo Service Inc (Myoko, Niigata Japan)

2. Fukushima Dai-ichi Nuclear Power Station


Evacuation



Cause of the Damage

Grid Line

① Loss of External Power Supply due to the Earthquake







B. Key Challenges

1. Cool Down the Reactors
2. Contain Spread of Radioactive Substances
(sea, soil and atmosphere)
3. Rigorous and Intensive Monitoring
4. Ensure the Safety of Food, Drinking Water and
On-site Workers

1. Cool Down the Reactors

(As of April 8)


	Unit 1	Unit 2	Unit 3	Unit 4
				
Type / MW / Commercial Operation	BWR / 460 / Mar 71-	BWR / 784 / Jul 74-	BWR / 784 / Mar 76-	BWR / 784 / Oct 78-
Status at time of Earthquake	In Service	In Service	In Service	Periodical Inspection Outage
Automatic Shutdown	✓	✓	✓	—
Fresh Water Injection	✓	✓	✓	—
RPV	Water Level [mm] (distance from the top of fuel)	-1,650 (A)	-1,500 (A)	-1,850 (A)
		-1,650 (B)	N/A (B)	-2,250 (B)
	Reactor Pressure [Mpa g]	0.395 (A)	-0.020 (A)	-0.004 (A)
		0.793 (B)	-0.020 (D)	-0.079 (C)
Temperature	— Feedwater Nozzle	246.6°C	141.2°C	N/A
	— Bottom Head of RPV	119.4°C	N/A	110.7°C
SFP	Fresh Water Injection	✓	✓	✓
	Temperature	24°C*	53°C	60°C*
Building	Damage	Slight Damage	Damage	Damage
AC Power (Lighting of Central Operation Room**)	✓	✓	✓	✓

*Temperature based on reading of the thermograph from air by Ministry of Defense. (the indicators attached to the SFPs are broken)


**Facilities are under-checking.

1. Cool Down the Reactors (Unit 1)

(As of April 8, 2011)



TEPCO




1. Cool Down the Reactors (Unit 2)

(As of April 8, 2011)




Ministry of Defense



- **Fuel Bundle**
 - 548
- **Spent Fuel in the Pool**
 - 587 + 28 (new)

- **Major Events**
 - Mar.13- Venting started
 - Mar.14- Seawater injection to reactor core
 - Mar.15- Sound of explosion
 - Mar.20- Seawater injection to spent fuel pool (SFP)
 - Mar.26- Fresh water injection to reactor core
 - Apr. 1- Fresh water injection to SFP




1. Cool Down the Reactors (Unit 3)

(As of April 8, 2011)



Air Photo Service Inc (Myoko, Niigata Japan)



Emergency Diesel Generator


Residual Heat Removal System

1. Cool Down the Reactors (Unit 4)

(As of April 8, 2011)



Air Photo Service Inc (Myoko, Niigata Japan)




1. Cool Down the Reactors (Unit 5&6)

(As of April 8, 2011)



TEPCO




■ Fuel Bundle

- Unit 5 : 548
- Unit 6 : 764

■ Spent Fuel in the Pool

- Unit 5 : 946 + 48 (new)
- Unit 6 : 876 + 64 (new)



Other Nuclear Power Stations in the Tohoku Area

Onagawa (3 Units)




Tohoku Electric Power Co., Inc

All units (Units 1-3) were immediately shut down automatically, then safely cold shut down.

Fukushima Dai-ni (4 Units)

All units (Units 1-4) were immediately shut down automatically, then safely cold shut down.




TEPCO



2. Contain Spreads of Radioactive Substances (sea, soil and atmosphere)

The Japanese Government and TEPCO are making the utmost effort to prevent the dispersion of flow-out radioactive contaminated water.



■ Major Events

- Mar. 27
Stagnant water on the basement floor of the turbine of Unit 2 and in the trenches found to be highly contaminated.
- Mar. 29
Stagnant water in the trenches and the turbine building transferred to the storage tank, then to the surge tank.
- Apr. 1
Highly contaminated water discovered leaking into the sea.
- Apr. 6
Leak of contaminated water into the sea was stopped.

2. Contain Spread of Radioactive Substances (sea, soil and atmosphere)

Experts are making the utmost effort to prevent radioactive substances contained in dust, debris and vapor from spreading.


Spraying synthetic materials on the surface of the ground to prevent the spread of radioactive substances




3. Rigorous and Intensive Monitoring

TEPCO monitors radioactivity levels every ten minutes and releases the results immediately. Radioactivity levels rose on March 15th, but have since fallen and remain low.


Monitoring posts and the readings at the Fukushima Dai-ichi NPS







Environmental Radioactivity Level at the Fukushima Dai-ichi NPS



Readings at Monitoring Posts out of Fukushima Dai-ichi NPS




Atmospheric Readings within 100km





Atmospheric Readings in Tokyo, Osaka and Sapporo


($\mu\text{Sv/h}$)



($\mu\text{Sv/h}$)



($\mu\text{Sv/h}$)




4. Ensure the Safety of Food and Water

The Japanese government inspects radiation dosages every day, and prohibits distribution and consumption of food that fails to meet stringent criteria.

Instructions

(issued by Prime Minister on 21, 23
March and 4 April 2011)



*1 Restriction partially lifted on 8 April
*2 Restriction lifted on 8 April

Ministry of Health, Labour and Welfare

... Not to Distribute

* Fukushima Prefecture

- Fresh raw milk*¹
- Non-head type leafy vegetables and head type leafy vegetables (e.g. spinach)
- Flowerhead brassicas including turnip (e.g. broccoli, cauliflower)

* Ibaraki Prefecture

- Fresh raw milk
- Spinach
- Parsley

* Tochigi and Gunma*² Prefectures

- Spinach

* Chiba Prefecture


- Spinach (Asahi-shi, Katori-shi, Tako-machi)
- Shungiku, Qing-geng-cai, Sanchu, Parsley, Celery (Asahi-shi)

... Not to Consume

* Fukushima Prefecture

- Non-head type leafy vegetables and head type leafy vegetables
- Flowerhead brassicas

Safety of Farm Products



Radioactive Contamination in Leafy Vegetables in Samekawa-village (Fukushima Prefecture)

(bq/kg)	Samekawa-village		
	21-Mar		24-Mar
radioactive iodine	5,900		1,200
radioactive cesium	1,700	→	68

Guidance Levels for Radionuclides in Vegetables

Japan	EU	IAEA *	
2,000	2,000	3,000	
500	1,250	1,000	(Cs134)

Source: Ministry of Health, Labour and Welfare, EURATOM, IAEA

*OIL(Operational Intervention Levels)6 : Locally produced food, milk and water have been screened, and all members of the public, including infants, children and pregnant women can safely drink the milk and water and eat the food during the emergency phase.

Safety of Drinking Water


The Japanese Government has been implementing necessary measures based on its stringent criteria for radionuclides in drinking water, and monitoring radionuclide levels every day.

Guidance Levels for Radionuclides in Drinking Water

(Bq/kg)	Japan	EU
radioactive iodine(I131)	300 (for babies) 100	500
radioactive cesium	200	1,000

Ministry of Health, Labour and Welfare, EURATOM

Radioactive Iodine(I131) in Drinking-Water in Tokyo (Kanamachi filter plant)



*On March 23, the Japanese Government recommended that the residents in Tokyo area refrain from having their babies intake tap water, but it withdraw the recommendation in two days.

Safety of On-site Workers

The Japanese Government closely supervises on-site workers' health conditions, limiting the level of their maximum exposure to radiation to 250mSv.

No workers in Fukushima NPS have been exposed to 250mSv or more.

On March 24, three workers exposed to more than 170mSv were hospitalized, but were released four days later as no health problems were found.

Emergency Dose Limit

mSv	JAPAN
emergency dose limit	100 ↓ 250 (limit raised for Fukushima emergency workers)


Ministry of Health, Labour and Welfare, Nuclear and Industrial Safety Agency, ICRP,

Workers Exposed to Radiation in Fukushima Dai-ichi NPS, as of April 5

level of exposure	number of workers
more than 100mSv	21
more than 250mSv	0

Nuclear and Industrial Safety Agency

Radiation in Daily-life



C. Information Sharing and Cooperation with the International Community

1. Cooperation with the IAEA
2. Press Releases by International Organizations
3. Speedy Dissemination of Accurate Information

1. Cooperation with the IAEA

1. Information Sharing

- (1) Japan has been providing facility-related and other relevant information to the IAEA.
- (2) Nuclear Industry Safety Agency (NISA) provided updates on situations of the Fukushima Dai-ichi Nuclear Power Station at the IAEA Technical Briefing (21st March) and at the side event of the Fifth Review Meeting of the Contract Parties to the Convention on Nuclear Safety (4th April).

2. IAEA Expert Missions

- (1) The IAEA has extended to Japan upon the request of the Government of Japan, in connection with the incidents involving the nuclear power plants in Japan by dispatching a series of the IAEA experts to Japan mainly in the field of radiation monitoring. Such dispatch of experts includes :
 - (i) Radiation Monitoring Teams, totaling up to 16 members who have been taking measurements mainly in Fukushima since 19 March;
 - (ii) one marine expert from the IAEA's laboratory in Monaco, who boarded Research Vessel "MIRAI" during 2 -4 April to observe and provide advice for Japanese experts on their method of collection and analysis of seawater samples; and
 - (iii) A Joint FAO/IAEA Food Safety Assessment Team, who met with local government officials, farmers etc. in Fukushima, Ibaraki, Tochigi and Gunma prefecture.
- (2) In addition, IAEA experts in BWR technology met with Japanese officials and operators including NISA and the Tokyo Electric Power Company (TEPCO) and visited the Fukushima Dai-ichi Nuclear Power Plant on 6 April.

2. Press Releases by International Organizations



International Civil Aviation
Organization (ICAO)



International Maritime
Organization (IMO)

ICAO and IMO released the same press releases twice

- 'No Restrictions on Travel to Japan' on 18th March (ICAO) and 21th March (IMO)
 - International flight and maritime operations can continue normally into and out of Japan's major airports and sea ports, excluding those damaged by the tsunami; according to the latest information available from WHO, IAEA, WMO, IMO and ICAO
- 'Current Radiation Levels In Japan And Travel Advice' on 1st April
 - Radioactive material from the damaged Fukushima Daiichi Plant is gradually spreading outside of Japan into global atmosphere but at extremely low concentrations that do not present health or transportation safety hazards, according to the United Nations organizations closely monitoring the situation.
 - Screening for radiation of passengers arriving from Japan is currently considered unnecessary at airports or seaports around the world.



World Health
Organization
(WHO)

-FAQs 'Japan Nuclear Concerns' on 5th April

- At this time, WHO is not advising general restrictions on travel to Japan.

3. Speedy Dissemination of Accurate Information

- Japan is committed to the speedy dissemination of accurate information.
- All necessary information can be found at the following websites.

Japan's Countermeasures

- 1. <http://www.kantei.go.jp/foreign/incident/index.html>
- 2. <http://www.meti.go.jp/english/index.html>
- 3. <http://www.nisa.meti.go.jp/english/>

Measurement of Radioactivity Level

- 1. http://www.mext.go.jp/english/radioactivity_level/detail/1303962.htm
- 2. <http://www.nisa.meti.go.jp/english/>
- 3. http://www.worldvillage.org/fia/kinkyu_english.php
- 4. <http://www.tepco.co.jp/en/press/corp-com/release/index-e.html>

Drinking Water Safety

- 1. <http://www.mhlw.go.jp/english/topics/2011eq/index.html>
- 2. <http://www.waterworks.metro.tokyo.jp/press/shinsai22/press110324-02-1e.pdf>

Food Safety

- 1. <http://www.maff.go.jp/e/index.html>
- 2. <http://www.mhlw.go.jp/english/topics/2011eq/index.html>

Ports and Airports Safety

- 1. http://www.mlit.go.jp/page/kanbo01_hy_001428.html
- 2. http://www.mlit.go.jp/koku/flyjapan_en/index.html
- 3. http://www.mlit.go.jp/page/kanbo01_hy_001411.html